

Tech Support**Harmonic Balancer Bore Sizes and Weights**

Part Number	Bore Minimum Diameter	Bore Maximum Diameter	Standard Seal Diameter	Blown Seal Diameter	Weight (kg)
Holden 6					
0201B	1.121	1.1215	1.77		3.6
0201R	1.121	1.1215	1.77		3.6
0201SA/B	1.121	1.1215	1.77		1.75
0201SA/R	1.121	1.1215	1.77		1.75
0201AA/B	1.121	1.1215	1.77		1.2
0201AA/R	1.121	1.1215	1.77		1.2
Holden V8					
220	1.2395	1.24	1.77		4.25
0220/B	1.2395	1.24	1.77	1.937	4.25
0220AA	1.2395	1.24	1.77	1.937	1.7
0220SA	1.2395	1.24	1.77		2.5
0220SA/B	1.2395	1.24	1.77	1.937	2.5
0221SA	1.2395	1.24	1.77		2.7
0280SA/B/CS	1.2395	1.24	1.77	50mm & 55mm	3
Chev Small Block					
202	1.247	1.2475	1.77		4.5
0202AA	1.247	1.2475	1.77	1.937	1.4
0202SA	1.247	1.2475	1.77		2.7
0202SA/B	1.247	1.2475	1.77	1.937	2.7
205	1.247	1.2475	1.77		5
0205/B	1.247	1.2475	1.77	1.937	5
0205SA	1.247	1.2475	1.77		3.15
0205SA/B	1.247	1.2475	1.77	1.937	3.15
206	1.247	1.2475	1.77		3.08
0206AA	1.247	1.2475	1.77	1.937	1.5
0206SA	1.247	1.2475	1.77		1.8
0285SA	1.482	1.4825	2.127		3.2
0286SA	1.482	1.4825	2.127		3.2
Chev Big Block					
207	1.6	1.6005	2.335		4.6
0207/B	1.6	1.6005	2.335	Factory size ok	4.6
0207AA	1.6	1.6005	2.335		1.6
0207SA	1.6	1.6005	2.335		2.9
0207SA/B	1.6	1.6005	2.335	Factory size ok	2.9
208	1.6	1.6005	2.335		5.1
0208/B	1.6	1.6005	2.335	Factory size ok	5.1
0208SA	1.6	1.6005	2.335		3.25
0208SA/B	1.6	1.6005	2.335	Factory size ok	3.25
Ford 4					
232	0.9465	0.947	1.445		1.9
233	1.2405	1.241	1.75		2
0233AA	1.2405	1.241	1.75		0.8
0233SA	1.2405	1.241	1.75		1.2
Ford 6					
225	1.25	1.2505	1.75		NA
217	1.25	1.2505	1.75		3.4
0217AA	1.25	1.2505	1.75		1.4
0217SA	1.25	1.2505	1.75		2.5

222	1.25	1.2505	1.75		3.4
0222AA	1.25	1.2505	1.75		1.4
0222SA	1.25	1.2505	1.75		2.5
248	1.25	1.2505	1.75		4.2
0248SA	1.25	1.2505	1.75		2.6
0248AA	1.25	1.2505	1.75		1.95
Ford Cleveland V8					
203	1.375	1.3755	1.875		5.55
0203SA	1.375	1.3755	1.875		3.75
0203SA/B	1.375	1.3755	1.875	2.062	3.75
204	1.375	1.3755	1.875		4.96
0204AA	1.375	1.3755	1.875	2.062	1.8
0204SA	1.375	1.3755	1.875		3.2
Ford Windsor Small Block					
209	1.375	1.3755	1.875		4.95
0209/50	1.375	1.3755	1.875		5.2
0209/B	1.375	1.3755	1.875	2.062	4.95
0209SA	1.375	1.3755	1.875		3.15
0209SA/50	1.375	1.3755	1.875		3.25
210	1.375	1.3755	1.875		4.54
0210/B	1.375	1.3755	1.875	2.062	4.54
0210AA	1.375	1.3755	1.875	2.062	1.7
0210SA	1.375	1.3755	1.875		3.1
0210SA/B	1.375	1.3755	1.875		3.1
0210/SVO	1.375	1.3755	1.875	2.062	4.54
0210SA/SVO	1.375	1.3755	1.875		3.1
0210AA/SVO	1.375	1.3755	1.875	2.062	1.7
211	1.375	1.3755	1.875		4.95
0211SA	1.375	1.3755	1.875		3.15
0212/SVO	1.375	1.3755	1.875		4.95
0212SA/SVO	1.375	1.3755	1.875		3.15
0212AA/SVO	1.375	1.3755	1.875	2.062	1.7
240	1.375	1.3755	1.875		4.92
0240/B	1.375	1.3755	1.875	2.062	4.92
0240AA	1.375	1.3755	1.875	2.062	1.8
0240SA	1.375	1.3755	1.875		3.15
0240SA/B	1.375	1.3755	1.875	2.062	3.15
0241/28	1.375	1.3755	1.875		4.95
0241/28/B	1.375	1.3755	1.875	2.062	4.95
0241/50	1.375	1.3755	1.875		5.2
0241/50/B	1.375	1.3755	1.875	2.062	5.2
0241SA/28	1.375	1.3755	1.875		3.15
0241SA/28/B	1.375	1.3755	1.875	2.062	3.15
0241SA/50	1.375	1.3755	1.875		3.25
0241SA/50/B	1.375	1.3755	1.875	2.062	3.25
Ford Big Block & FE					
213	1.375	1.3755	2.1		4.26
0213/B	1.375	1.3755	2.1	Factory size ok	4.26
0213AA	1.375	1.3755	2.1		1.6
0213SA	1.375	1.3755	2.1		2.5
0213SA/B	1.375	1.3755	2.1	Factory size ok	2.5
219	1.374	1.3746	2.05		3.7
0219AA	1.374	1.3746	2.05		1.4
0219SA	1.374	1.3746	2.05		2.3
Ford Modular					
245	1.25	1.2505	1.875		3.45
0245AA	1.25	1.2505	1.875		1.8

0245SA	1.25	1.2505	1.875		2.2
246	1.25	1.2505	1.875		3.5
0246AA	1.25	1.2505	1.875		1.8
0246SA	1.25	1.2505	1.875		2.2
Ford Replica FE & Pulleys					
250	1.373	1.3735	2.16		550
0250SA	1.373	1.3735	2.16		2.2
0250AA	1.373	1.3735	2.16		4.2
0250AS	1.373	1.3735	2.16		NA
0250P/5.625	2.001	3 on 2.780" pcd	S/Groove Pulley	A Section Belt	1.16
0250P/5.625A	2.001	3 on 2.780" pcd	S/Groove Pulley	A Section Belt	0.6
0250P/6.625	2.001	3 on 2.780" pcd	S/Groove Pulley	A Section Belt	1.18
0250P/6.625A	2.001	3 on 2.780" pcd	S/Groove Pulley	A Section Belt	0.75
Ford Pinto					
242	1.262	1.2625	1.77		2
0242AA	1.262	1.2625	1.77		0.8
0242SA	1.262	1.2625	1.77		1.2
Chrysler					
214	1.5305	1.531	2.185		4.35
0214AA	1.5305	1.531	2.185		1.55
0214SA	1.5305	1.531	2.185		2.7
215	1.5305	1.531	2.185		4.35
0215AA	1.5305	1.531	2.185		1.55
0215SA	1.5305	1.531	2.185		2.7
216	1.3455	1.346	2		5.5
0216AA	1.3455	1.346	2		2
0216SA	1.3455	1.346	2		2.9
218	1.5305	1.531	2.185		4.1
0218AA	1.5305	1.531	2.185		1.45
0218C/W	1.5305	1.531	2.185		4.4
0218SA	1.5305	1.531	2.185		2.5
0218SA C/W	1.5305	1.531	2.185		2.6
224	1.53	1.5305	2.244		4.2
0224SA	1.53	1.5305	2.244		2.8
Pontiac					
223	1.375	1.3755	1.875		4.9
0223AA	1.375	1.3755	1.875		1.75
0223SA	1.375	1.3755	1.875		3.12
British					
235	1.1245	1.125	1.561		1.9
0235SA	1.1245	1.125	1.561		1.1
236					NA
239	1	1.0005	1.56		1.9
0239AA	1	1.0005	1.56		0.7
0239SA	1	1.0005	1.56		1.1
Buick					
243	1.4375	1.438	2		5.57
0243AA	1.4375	1.438	2		2.2
0243SA	1.4375	1.438	2		3.75